
SUNSHINE COAST YAMAHA

WAVERUNNERS & MARINE

Phone: 07 5346 9981

Email: sales@sunshinecoastyamaha.com.au Website: https://www.sunshinecoastyamaha.com.au/

14 Machinery Ave Warana QLD 4575







Specifications

Boat Details

Price From \$1,870 **Boat Brand** Yamaha Model F4 Length 0.00

Year 2024 **Boat Engines and Outboards** Category

Hull Style **Hull Type**

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 07 5346 9981

Email: sales@sunshinecoastyamaha.com.au Website: https://www.sunshinecoastyamaha.com.au/

14 Machinery Ave Warana QLD 4575

Power Type Stock Number F4

Condition New State Queensland

Suburb SUNSHINE COAST Engine Make

Disclaimer



Phone: 07 5346 9981

Email: sales@sunshinecoastyamaha.com.au Website: https://www.sunshinecoastyamaha.com.au/

14 Machinery Ave Warana QLD 4575

Description

Yamaha F4SMHA & F4LMHA 4 horsepower 4-stroke outboards for sale at Sunshine Coast Yamaha!Lightweight, compact and economical, Yamaha's single-cylinder portable F4 has been designed to be ultra-easy to use and transport. Featuring a specially developed four stroke, Overhead Valve (OHV) design, this engine delivers excellent fuel efficiency and smooth running. Attention to detail makes this Yamaha small engine great by delivering a user experience that stands head and shoulders above anything else.Available In:F4SMHA - Manual Start, Tiller Handle, Transom height - Standard

F4LMHA - Manual Start, Tiller Handle, Transom height - LongStandard Features:

• Engine Type: 4-Stroke, OHV, 1-cylinder

Bore x Stroke(mm): 62 x 46
Fuel Tank Capacity(I): 1.1
Displacement (cc): 139.0

• Recommended Maximum RPM: 4000-5000

• Fuel Management: Carb

• Ignition: CDI Lubrication System: Wet sump

• Alternator Output: 12V - 6A with Rectifier Regulator (Optional)

• Gear Ratio: 2.08:1 Starter System: Manual Choke

Operation Method: Tiller HandleTrim and Tilt Method: Manual Tilt

• Digital Gauges: N/A

• Command Link Gauges: N/A

• Transom Height (mm [inch]): S: 435 [17.1] | L: 562 [22.1]

• Dry Weight (kg): S: 27 | L: 28

Prices do not include fitting or accessories where applicable. It is a Yamaha Australia requirement that all Yamaha Outboards be fitted and personally delivered by the selling Yamaha outboard dealership. Need Finance? Apply now through Yamaha Motor Finance!. For all your Yamaha outboard prices and questions, make sure you get in touch with the team at Sunshine Coast Yamaha.